Page 1 of 2

Formaldehyde, 5% Solution

MSDS # 293.00



Section 1: **Product and Company Identification**

Formaldehyde, 5% Solution

Synonyms/General Names: Formaldehyde Solution, 5%

Product Use: For educational use only

Manufacturer: Columbus Chemical Industries, Inc., Columbus, WI 53925.

24 Hour Emergency Information Telephone Numbers

CHEMTREC (USA): 800-424-9300 CANUTEC (Canada): 613-424-6666

ScholAR Chemistry; 5100 W. Henrietta Rd, Rochester, NY 14586; (866) 260-0501; www.Scholarchemistry.com

Section 2: Hazards Identification

Clear colorless solution, strong odor.

HMIS (0 to 4)

WARNING! Inhalation hazard, body tissue irritant, known carcinogen. Moderately toxic by ingestion, inhalation, and skin absorption. Contains flammable materials.

Target organs: Eyes, central nervous system, liver, kidneys.

Health Fire Hazard Reactivity

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Section 3: **Composition / Information on Ingredients**

Formaldehyde, 37% (50-00-0), 5%.

Water (7732-18-5), 95%.

Section 4: **First Aid Measures**

Always seek professional medical attention after first aid measures are provided.

Eyes: Immediately flush eyes with excess water for 15 minutes, lifting lower and upper eyelids occasionally. Skin: Immediately flush skin with excess water for 15 minutes while removing contaminated clothing.

Call Poison Control immediately. Rinse mouth with cold water. Give victim 1-2 cups of water or milk to drink. **Ingestion:**

Induce vomiting immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration.

Section 5: **Fire Fighting Measures**

When heated to decomposition, emits acrid fumes.

Protective equipment and precautions for firefighters: Use foam or dry chemical to extinguish fire. Firefighters should wear full fire fighting turn-out gear and respiratory protection (SCBA). Cool container with water spray. Material is not sensitive to mechanical impact or static discharge.



Section 6: **Accidental Release Measures**

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Remove all ignition sources and ventilate area. Contain spill with sand or absorbent material and place material in a sealed bag or container for disposal. Wash spill area after pickup is complete. See Section 13 for disposal information.

Section 7: **Handling and Storage** Green

Handling: Use with adequate ventilation and do not breathe dust or vapor. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly after handling.

Storage: Store in General Storage Area [Green Storage] with other items with no specific storage hazards. Store in a cool, dry, well-ventilated, locked store room away from incompatible materials.

Section 8: **Exposure Controls / Personal Protection**

Use ventilation to keep airborne concentrations below exposure limits. Have approved eyewash facility, safety shower, and fire extinguishers readily available. Wear chemical splash goggles and chemical resistant clothing such as gloves and aprons. Wash hands thoroughly after handling material and before eating or drinking. Use NIOSH-approved respirator with an acid/organic cartridge. Exposure guidelines: Formaldehyde: OSHA PEL: 0.75 ppm, ACGIH TLV: 0.3 ppm ceiling, STEL: 0.37 mg/m³ceiling Section 9: Physical and Chemical Properties

Molecular formula HCOH. Appearance Clear colorless solution.

Molecular weight 30.03. Odor Strong odor.

Specific Gravity 1.01 g/mL @ 20°C. Odor Threshold N/A.

Vapor Density (air=1)0.7 (water).SolubilitySoluble in water.Melting Point 0° C.Evaporation rate> 1 (Butyl acetate = 1).

Boiling Point/Range 100°C. **Partition Coefficient** N/A. $(log P_{OW})$.

Vapor Pressure (20°C)14 (water).pHN/A.Flash Point:N/A.LELN/A.Autoignition Temp.:N/A.UELN/A.

N/A = Not available or applicable

Section 10: Stability and Reactivity

Avoid heat and moisture.

Stability: Stable under normal conditions of use and storage.

Incompatibility: Oxidizing materials, acids, alkalis, phenols, hydrochloric acid, ammonia, iodine, tannin, iron products, gelatin,

isulfite.

Shelf life: Indefinite if stored properly.

Section 11: Toxicology Information

Acute Symptoms/Signs of exposure: Eyes: Redness, tearing, itching, burning, conjunctivitis. Skin: Redness, itching.

Ingestion: Irritation and burning sensations of mouth and throat, nausea, vomiting and abdominal pain. *Inhalation*: Irritation of mucous membranes, coughing, wheezing, shortness of breath,

Chronic Effects: Formaldehyde is a known carcinogen. IARC group 1, NTP Reasonably expected, ACGIH A2

Sensitization: Skin and respiratory sensitizer.

Formaldehyde: LD50 [oral, rat]; 100 mg/kg; LC50 [rat]; 590 mg/m³; LD50 Dermal [rabbit]; 2 mg/24H Severe Material has been found to be a carcinogen and may produce genetic, reproductive, or developmental effects.

Section 12: Ecological Information

Ecotoxicity (aquatic and terrestrial): Ecological impact has not been determined.

Section 13: Disposal Considerations

Check with all applicable local, regional, and national laws and regulations. Local regulations may be more stringent than regional or national regulations. Small amounts of this material may be suitable for sanitary sewer or trash disposal.

Section 14: Transport Information

DOT Shipping Name: Environmental Hazardous Substance,. **Canada TDG:** Environmental Hazardous Substance,.

liquid, n.o.s., (Formaldehyde and Methanol). liquid, n.o.s. (Formaldehyde and Methanol).

DOT Hazard Class: 9, pg III. Hazard Class: 9, pg III.

Identification Number: UN3082. UN Number: UN3082.

Section 15: Regulatory Information

EINECS: Listed (200-001-8). **WHMIS Canada:** Not WHMIS Controlled.

TSCA: All components are listed or are exempt. California Proposition 65: Listed as cancer causing agent.

The product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Section 16: Other Information

Current Issue Date: January 23, 2009

Disclaimer: Scholar Chemistry and Columbus Chemical Industries, Inc., ("S&C") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because S&C has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. S&C makes no warranty, expressed or implied, including (without limitation) warranties with respect to the completeness or continuing accuracy of the information contained herein or with respect to fitness for any particular use.